

ASMI CONSULTANTS

Shop 1 , Woodmore Appartment, Opp Aishwarya Tower ,Ellora Park ,Vadodara, India



Website : <http://www.asmiconsultants.com>, Email : info@asmiconsultants.com , Phone No : 9879116799

GSTIN : 24ANAPP5409K1ZZ STATE : GUJARAT STATE CODE : 24

QUOTATION

To,
M/s. MR HIMANSHU THAKKAR(ALEMBIC)
Contact Number :
Quotation No : 61
Quotation Date : 10-08-2026

Sr.No	Equipment Description	Technical Descriptions	Make	Model	Qty	Unit Rate	Value	Tax Rate	GST	Total Price
1	7.2 AV RECEIVER	7.2-channel AV receiver (100W per channel at 8 ohms) delivering high-performance, warm sound with Dolby Atmos, DTS:X, and 8K video support. It features 6 HDMI inputs (3 supporting 8K/60Hz or 4K/120Hz)	MARANTZ	CINEMA 60	1	114406.78	114407	18	20593	135000
2	FLOOR SPEAKERS	43 - 26,000 Hz, 88.5 dB,109 dBSPL,30 - 150W,1 x 25 mm dome,2 x 16.5 cm,Low frequency / mid-range driver(s)	DALI	SPEKTOR	2 Piece	46610.17	93220	18	16780	110000
3	CENTER SPEAKER	Frequency Range [+/- 3 dB] [Hz]: 46 – 26,000 Sensitivity [2.83V/1m] [dB]: 89.5 Nominal Impedance [ohms]: 6 Maximum SPL [@ 1m] [dB]: 109 Crossover Frequencies [Hz]: 2,200 Crossover Principle: 2-way Recommended Amp. Power [Watts]: 25 – 150 High Frequency Driver(s): 1 x 29 mm low loss soft dome Low/Mid Frequency Driver(s): 2 x 5¼ inch	DALI	SONIK CINEMA CENTER	1	63559.32	63559	18	11441	75000
4	CEILING SPEAKER	"3.5"" full-range low-profile ceiling speaker 3.5" full-range speaker unit Engineered for optimum BGM reproduction Low-profile design facilitates installation in limited ceiling spaces Direct support for low-impedance or high-impedance connections Built-in carrying band increases safety during installation Anti-drop tab mechanism provide secure temporary positioning during installation Double-threaded speaker clamp screws for speedy tightening Paintable grilles with magnetic catches Black and white versions available 2.5kg (5.5lbs), Ø285 x D112 mm (Ø11-1/4" x D4-7/16")"	YAMAHA	VXC3F	2 Piece	12203.39	24407	18	4393	28800

5	SUBWOOFER	he Klipsch R-12SW is a high-performance powered subwoofer featuring a 12-inch, copper-spun, front-firing IMG (Injection Molded Graphite) woofer and a built-in all-digital amplifier that delivers 200 watts of RMS power and 400 watts of dynamic peak power.	KLIPSCH	R12SW	1Piece	80508.47	80508	18	14492	95000
6	ONWALL SPEAKERS	Frequency Range [+/- 3] dB [Hz]: 74 – 26,000 Sensitivity [2.83V/1m] [dB]: 83 Nominal Impedance [ohms]: 6 Maximum SPL [dB]: 103 Crossover Frequencies [Hz]: 2,100 Recommended Amp. Power [Watts]: 40 – 100 High Frequency Driver(s): 1 x 21 mm soft dome Low Frequency/Midrange Driver(s): 1 x 4½ inch Crossover Principle: 2-way	DALI	ALTECO C1	1 Pair	59322.03	59322	18	10678	70000
7	4K PROJECTOR	3200ANSI Lumens, 4K Laser Projector, 95% Rec. 709, 1.3x Zoom, 1.15~1.5 Throw ratio, "HDR10/HLG, 5W Speaker,Vertical lens shift 10%, 4.2ms Input Lag Support (1080P@ 240Hz),Game Modes - FPS, RPG, SPG , 2x HDMI, 1xUSB Type-A , Upto 30,000 Hours" Lamp Life (Eco Mode) 3 Year Projector Warranty (On-Site)/ Light Source Warranty (Whichever is earlier) 3 Years or 5000 Hrs.	BENQ	TK710	1	211016.95	211017	18	37983	249000
8	FIXED FRAME SCREEN	4K Micro woven fabric with black masking fabric 115.9” x 65.2” 4k white acoustics	PANARA	133"	1	48305.08	48305	18	8695	57000
9	1.5 SQMM SPEAKER CABLE	2 x 1.5sqmm , White, Pure OFC Cable	BRITISH AUDIO	1.5SQ MM	100 Meter	152.54	15254	18	2746	18000
10	HDMI CABLE	4K Oxygen free copper HDMI premium High Speed + Ethernet Cable , Ultra HD, HDR, HDCP2	BRITISH AUDIO	BAS-4K-CU-10M	1	13559.32	13559	18	2441	16000
11	SUBWOOFER CABLE	professional digital coax/subwoofer cable, Pure OFC Cable	BRITISH AUDIO	3MTR	1	1694.92	1695	18	305	2000
12	PROJECTOR STAND	2 ft PROJECTOR STAND	PANARA	2FT	1	3813.56	3814	18	686	4500
Total										860300
	INSTALLATION & TRANSPORTATION				1	0	30000	0	0	30000
Grand Total										890300
Discount										
Final Amount										890300

Terms & Conditions :

- 1. Above mentioned prices are including of all taxes. Any changes will be applicable at actual.**
- 2. All products carry 12 months warranty from the date of invoice as per respective manufacturer's terms & conditions.**
- 3. Payment Schedule: 100% advance with confirm order.**
- 4. Delivery: with 2-3 weeks after full payment.**
- 5. Installation Schedule: As per site condition.**
- 6. Wire trenching, pulling, electrical, civil, carpentry work has to be done by client's contractor.**
- 7. Any changes in products due to technical requirements has to be considered on actual basis.**
- 8. Above mentioned installation & calibration charges are for one time only. Any further visit would be charged at actual.**
- 9. Price validity: 30 days from date of proposal.**

FOR ASMI CONSULTANTS

AUTHORISED SIGNATORY